

REVISION DATE 29th April 2015
 Supercedes 14th March 2014
 Revision No 7

SAFETY DATA SHEET
PRIVATE LABEL CHLORINE TABLETS

1. IDENTIFICATION OF THE SUBSTANCE / PREPARATION AND COMPANY

Product Name	PRIVATE LABEL CHLORINE TABLETS
Pack Code/Size	PLB1036 SPD1374
Supplier	STAPLES CHEMICALS NEVILLE HOUSE, BEAUMONT RD, BANBURY, OXON, OX16 1RB Tel: 01295 251721 Email: sales@cleenol.co.uk
Emergency Tel No.	Poisons Information Specialist National Poisons Information Service, Birmingham B18 7QH Tel: 0121 507 5122

2. HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

Classification (EC 1272/2008)	Physical and Chemical Hazards Not classified. Human health Acute Tox. 4 - H302; Eye Irrit. 2 - H319; STOT SE 3 - H335 Environment Aquatic Acute 1 - H400; Aquatic Chronic 1 - H410
--------------------------------------	---

Classification (1999/45/EEC)	Xn;R22. Xi;R36/37. N;R50/53.
-------------------------------------	------------------------------

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

2.2. Label elements

Contains TROCLOSENE SODIUM
Label In Accordance With (EC) No. 1272/2008



Signal Word Warning

Hazard Statements	H302: Harmful if swallowed. H319: Causes serious eye irritation. H335: May cause respiratory irritation. H410: Very toxic to aquatic life with long lasting effects.
--------------------------	---

Precautionary Statements	P501: Dispose of contents/container in accordance with local regulations.
Supplementary Precautionary Statements	<p>P270: Do not eat, drink or smoke when using this product.</p> <p>P271: Use only outdoors or in a well-ventilated area.</p> <p>P273: Avoid release to the environment.</p> <p>P280: Wear protective gloves/protective clothing/eye protection/face protection.</p> <p>P261: Avoid breathing vapour/spray.</p> <p>P264: Wash contaminated skin thoroughly after handling.</p> <p>P301+312: IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell.</p> <p>P304+340: IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.</p> <p>P305+351+338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.</p> <p>P312: Call a POISON CENTER or doctor/physician if you feel unwell.</p> <p>P313: Get medical advice/attention.</p> <p>P330: Rinse mouth.</p> <p>P337: If eye irritation persists:</p> <p>P391: Collect spillage.</p> <p>P403+233: Store in a well-ventilated place. Keep container tightly closed.</p> <p>P405: Store locked up.</p>

2.3. Other hazards

3. COMPOSITION / INFORMATION ON INGREDIENTS

INGREDIENT	EC No	CAS No	CLASSIFICATION	CONTENTS
ADIPIIC ACID	204-673-3	124-04-9	Xi;R36 (67/548/EEC) Eye Irrit. 2 - H319 (EC 1272/2008)	10-30%
SODIUM CARBONATE	207-838-8	497-19-8	Xi;R36 (67/548/EEC) Eye Irrit. 2 - H319 (EC 1272/2008)	1-5%
TROCLOSENE SODIUM	220-767-7	2893-78-9	E;R2, O;R8, Xn;R22, Xi; R36/37, R31, N;R50/53 (67/548/EEC) Ox. Sol. 2 - H272 EUH031 Acute T Eye Irrit. 2 - H319 STOT SE 3 - H335 Aquatic Acute 1 - H400 Aquatic Chronic 1 - H410 (EC 1272/2008)	30-60%

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

Composition Comments

Note T for troclocene sodium as per Commission Directive 20008/58/EC applies

4. FIRST AID MEASURES

4.1. Description of first aid measures

EYES	Make sure to remove any contact lenses from the eyes before rinsing. Promptly wash out eyes with plenty of cold water whilst lifting the eyelids. Continue to rinse for at least 15 minutes. Get medical attention promptly if symptoms occur after washing.
SKIN	Skin irritation is not anticipated when used normally. In the event of irritation, remove contaminated clothing. Wash skin thoroughly with soap and water. Get medical attention if irritation persists after washing.
INGESTION	DO NOT INDUCE VOMITING. NEVER MAKE AN UNCONSCIOUS PERSON VOMIT OR DRINK FLUIDS. Remove victim immediately from source of exposure Drink plenty of water. Seek immediate medical attention. Provide rest, warmth and fresh air.
INHALATION	Remove to fresh air at once. Get medical attention. Provide rest, warmth and fresh air. When breathing is difficult, properly trained personnel may assist affected person by administering oxygen.

**In all cases, if symptoms persist, seek medical advice and show this information sheet.
Note for Medical Practitioners : This information is registered with the National Poisons Information Service.**

5. FIRE FIGHTING MEASURES

5.1 Extinguishing Media	This product is not flammable. Use water spray, dry powder or carbon dioxide.
5.2 Special Hazards Arising From The Substance Or Mixture	<p>Unusual Fire & Explosion Hazards Fire causes formation of Toxic Gases. Decomposes above 250°C with release of chlorine and other toxic fumes.</p> <p>Specific Hazards In case of fire, toxic gases may be formed (CO_x, NO_x). Fire or high temperatures create very corrosive gases/vapours/fumes of chlorine. Hydrogen chloride (HCl).</p> <p>Special Fire Fighting Procedures NOTE! Use air-supplied respirators to protect against gases/fumes. Dike and collect extinguishing water. Protective Equipment for Fire Fighters Self-contained breathing apparatus and full protective clothing must be worn in case of fire.</p>
5.3 Advice For Fire Fighters	

6. ACCIDENTAL RELEASE MEASURES

6.1 Personal Precautions	Wear protective clothing as described in Section 8 of this safety data sheet.
Protective Equipment And Emergency Procedures	Follow precautions for safe handling described in this safety data sheet. Use protective gloves, goggles and suitable protective clothing. Ensure suitable personal protection (including respiratory protection) during removal of spillages in a confined area.
6.2 Environmental Precautions	Not relevant considering the small amounts used. The product should not be dumped in nature but collected and delivered according to agreement with the local authorities.
6.3 Methods And Material For Containment & Cleaning Up	Collect in containers and seal securely. Ensure that waste and contaminated materials are collected and removed from the work area as soon as possible in a suitably labelled container. Avoid generation and spreading of dust. Flush with plenty of water to clean spillage area. Containers with collected spillage must be properly labelled with correct contents and hazard symbol. Do not close drums containing wet or damp material

7. HANDLING AND STORAGE

7.1 Precautions For Safe Handling	Avoid spilling, skin and eye contact. Do not handle broken packages without protective equipment. Keep away from heat, sparks and open flame. Do not eat, drink or smoke when using this product. Observe good chemical hygiene practices. Avoid inhalation of vapours/spray and contact with skin and eyes. Provide good ventilation. Container must be tightly closed. Protect against direct sunlight. Follow instructions and ensure correct dilution of this product before use.
--	---

7.2 Conditions For Safe Storage Including Any Compatibilities

Store in tightly closed original container in a dry, cool and well-ventilated place. Keep in original container

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

8.1. Control parameters

Ingredient Comments

WEL = Workplace Exposure Limits No exposure limits noted for ingredient(s).

ADIPIIC ACID (CAS: 124-04-9)

DNEL

Industry Inhalation. Short Term 5 mg/m3

PNEC

Freshwater Short Term 0.126 mg/l

Marinewater Short Term 0.0126 mg/l

Sediment Short Term 0.484 mg/l

Soil Short Term 0.0228 mg/l

8.2. Exposure controls

Protective equipment



ENGINEERING MEASURES

No specific ventilation requirements noted, except this product must not be used in a confined space without good ventilation.

VENTILATION

No specific ventilation requirements noted, except this product must not be used in a confined space without good ventilation.

RESPIRATORY EQUIPMENT

No specific recommendation made but respiratory protection may still be required under exceptional circumstances when excessive air contamination exists.

PROTECTIVE GLOVES

For prolonged or repeated skin contact, wear suitable protective gloves

EYE PROTECTION

If risk of splashing, wear safety goggles or face shield.

OTHER PROTECTION

Wear appropriate clothing to prevent any possibility of liquid contact or prolonged vapour contact.

ENVIRONMENTAL EXPOSURE CONTROLS

Do not allow undiluted product to enter drains.

DO NOT SMOKE IN WORK AREA Wash hands at the end of each work shift and before eating, smoking and using the toilet. Promptly remove any clothing that becomes contaminated. Wash promptly with soap & water if skin becomes contaminated. Use appropriate skin cream to prevent drying of skin. When using do not eat, drink or smoke.

9. PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

APPEARANCE

White flat tablet

ODOUR	Characteristic
SOLUBILITY IN WATER	Soluble in water
pH-VALUE, DILUTED SOLUTION	1 4-6 approx
DECOMPOSITION TEMPERATURE	240°C
MELTING POINT	N/A

10. STABILITY AND REACTIVITY

10.1 Reactivity

10.2 Chemical Stability Stable under normal temperature conditions.

10.3. Possibility Of Hazardous Reactions

10.4 Conditions To Avoid Avoid contact with acids and oxidising substances. Avoid exposure to high temperatures or direct sunlight. Avoid contact with strong reducing agents.

10.5 Incompatible Materials

MATERIALS TO AVOID

Flammable / combustible material. Organic materials, oils, grease, sawdust, reducing agents, nitrogen-containing compounds, oxidizing substances, acids and alkalis, damp or slightly wet conditions (NaDCC may generate nitrogen trichloride which is explosive).

10.6 Hazardous Decomposition Products

Fire Creates Hydrogen Chloride (HCl). Hydrogen Cyanide (HCN). In case of fire, toxic gases (CO, CO₂, NOX) may be formed.

11. TOXICOLOGICAL INFORMATION

11.1. Information On Toxicological Effects

TOXIC DOSE	1 – LD 50 992 mg/kg (oral-mouse)
TOXICOLOGICAL INFORMATION	Toxicological information of the active ingredient troclosen sodium
EYE CONTACT	Irritating to eyes.
SKIN CONTACT	Skin irritation is not anticipated when used normally.
INGESTION	Harmful if swallowed.
INHALATION	Harmful: danger of serious damage to health by prolonged exposure through inhalation.
ROUTE OF ENTRY	Inhalation, ingestion, skin and / or eye contact.

12. ECOLOGICAL INFORMATION

12.1. Toxicity EC 50, 48 Hrs. Daphnia mg/l <1 mg NaDCC

12.2. Persistence and degradability Degradability_The product is expected to be biodegradable.

12.3. Bioaccumulative potential

12.4. Mobility in soil

12.5. Results of PBT and vPvB assessment

12.6. Other adverse effects

13. DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods Dispose of waste and residues in accordance with local authority regulations. __

14. TRANSPORT INFORMATION

Road Transport Notes **Packed in Limited Quantities.**

14.1. UN number

UN No. (ADR/RID/ADN) **3077**

UN No. (IMDG) **3077**

UN No. (ICAO) **3077**

14.2 Proper Shipping Name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, NOS
(TROCLOSENE SODIUM)

14.3. Transport hazard class(es)

ADR/RID/ADN Class 9

ADR/RID/ADN Class Class 9: Miscellaneous dangerous substances and articles. ADR Label No. 9

IMDG Class 9

ICAO Class/Division 9

14.4. Packing group

ADR/RID/ADN Packing group III

IMDG Packing group III

ICAO Packing group III

14.5. Environmental hazards

Environmentally Hazardous Substance/Marine Pollutant

No.

14.6. Special precautions for user

EMS F-A, S-F

Emergency Action Code 2Z Hazard No. (ADR) 90

Tunnel Restriction Code (E)

14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

15. REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Statutory Instruments

The Chemicals (Hazard Information and Packaging for Supply) Regulations 2009 (S.I. 2009 No. 716). Approved Code Of Practice

Classification and Labelling of Substances and Preparations

Dangerous for Supply.

Guidance Notes

Workplace Exposure Limits EH40. CHIP for everyone HSG(108). EU Legislation

Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive

1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive

76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC, including amendments.

National Regulations

The Chemicals (Hazard Information and Packaging for Supply) Regulations 2002. No. 1689.

15.2. Chemical Safety Assessment

16. OTHER INFORMATION

Revision date **29.04.15**

Risk phrases in full

R31	Contact with acids liberates toxic gas
R8	Contact with combustible material may cause fire
R22	Harmful if swallowed
R36/37	Irritating to eyes and respiratory system
R36	Irritating to eyes
R2	Risk of explosion by shock, friction, fire or other sources of ignition.
R50/53	Very toxic to aquatic organisms May cause long-term adverse effects in the aquatic environment

Hazard Statements In Full

H319	Causes serious eye irritation.
EUH031	Contact with acids liberates toxic gas.
H302	Harmful if swallowed.
H335	May cause respiratory irritation.
H272	May intensify fire; oxidiser.
H410	Very toxic to aquatic life with long lasting effects.
H400	Very toxic to aquatic life.

This product is only to be used for the purpose for which it was intended and in accordance with the specified instructions. This product should never be mixed with other chemical products and should be handled with care and stored carefully out of reach of children.

Information contained in this Safety Data Sheet is accurate to the best knowledge of Supplier.

Because of our continuing desire to incorporate technical improvements and innovations, and in view of the possibility of the occasional need to substitute certain materials, Supplier reserve the right to alter specifications without notice.

Unless otherwise stated, it is recommended that this product is used within 12 months of purchase.

Disclaimer

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use