#### SAFETY DATA SHEET

# **Extra Thick Bleach**

# SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Trade name: Extra Thick Bleach

Product no.: C40007

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses of the

substance or mixture:

Cleaning product

Use descriptors (UK REACH):

Sectors of use	Description
LCS "PW"	Professional uses: Public domain (administration, education, entertainment, services, craftsmen)
Product category	Description

Uses advised against: Uses other than those identified are not recommended

1.3. Details of the supplier of the safety data sheet

**▼** Company and address: **BFS Group Ltd** 

814 Leigh Road SL1 4BD Slough United Kingdom

Responsible Person for SDS: +44(0)1328851407

www.caterfoodbg.co.uk

▼ *E-mail*: chemists@anglianchemicals.com

*Revision:* 14/12/2023

SDS Version: 1.0

*Date of previous version:* 02/12/2023 (1.0)

1.4. Emergency telephone number

Contact The National Poisons Information Service (dial 111, 24 h service).

See section 4 "First aid measures".

# **SECTION 2: HAZARDS IDENTIFICATION**

Classified according to Regulation (EC) No. 1272/2008 (CLP) as retained and amended in UK law.

# 2.1. Classification of the substance or mixture

Skin Corr. 1; H314, Causes severe skin burns and eye damage.

Eye Dam. 1; H318, Causes serious eye damage.

Extra Thick Bleach Page 1 of 15



#### 2.2. Label elements

Hazard pictogram(s):

Signal word: Danger

Hazard statement(s): Causes severe skin burns and eye damage. (H314)

Precautionary statement(s):

General: If medical advice is needed, have product container or

label at hand. (P101)

Keep out of reach of children. (P102)

Prevention: Do not breathe vapour/mist. (P260)

Wear eye protection/protective gloves/protective clothing.

(P280)

Response: IF ON SKIN (or hair): Take off immediately all contaminated

clothing. Rinse skin with water . (P303+P361+P353)

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue

rinsing. (P305+P351+P338)

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

(P301+P330+P331)

Immediately call a POISON CENTER/doctor. (P310)

Storage: Store locked up. (P405)

Dispose of contents/container in accordance with local Disposal:

regulation (P501)

Hazardous substances: sodium hypochlorite, solution ... % Cl active

Additional labelling: Active substance(s):

sodium hypochlorite, solution ... % Cl active (3.34 g/100g)

Labelling of contents according to

Detergents Regulation (EC) No

< 5%

648/2004 as retained and amended in · Amphoteric surfactants

· Anionic surfactants

UK law:

· Chlorine-based bleaching Agents

#### 2.3. Other hazards

This mixture/product does not contain any substances Additional warnings:

known to fulfil the criteria for PBT and vPvB classification. This product does not contain any substances considered to be endocrine disruptors in accordance with the criteria set out in Commission Delegated Regulation (EU)

2017/2100 or Commission Regulation (EU) 2018/605.

#### **SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS**

#### 3.1. Substances

Not applicable. This product is a mixture.

Extra Thick Bleach Page 2 of 15



#### 3.2. Mixtures

Product/substance	Identifiers	% w/w	Classification	Note
sodium hypochlorite, solution % Cl active	CAS No.: 7681-52-9 EC No.: 231-668-3 UK-REACH: Index No.: 017-011-00-1	3-5%	EUH031 Skin Corr. 1B, H314 Aquatic Acute 1, H400 (M=1)	
Alcohols, C12-14, ethoxylated, sulfates, sodium salts	CAS No.: 68891-38-3 EC No.: 500-234-8 UK-REACH: Index No.:	1-3%	Skin Irrit. 2, H315 Eye Dam. 1, H318 Aquatic Chronic 3, H412	[19]
N,N- dimethyltetradecylamine N-oxide	CAS No.: 3332-27-2 EC No.: 222-059-3 UK-REACH: Index No.:	<1%	Acute Tox. 4, H302 Skin Irrit. 2, H315 Eye Dam. 1, H318 Aquatic Acute 1, H400 (M=1) Aquatic Chronic 2, H411	

See full text of H-phrases in section 16. Occupational exposure limits are listed in section 8, if these are available.

#### Other information

[19] UVCB = Unknown or variable composition, complex reaction products or of biological materials

#### **SECTION 4: FIRST AID MEASURES**

# 4.1. Description of first aid measures

General information: In the case of accident: Contact a doctor of	<i>ion:</i> In the case of accident: Contact a doctor or casualty
---	---

department – take the label or this safety data sheet. Contact a doctor if in doubt about the injured person's condition or if the symptoms persist. Never give an

unconscious person water or other drink.

Inhalation: IF INHALED: Move to fresh air and keep at rest in a position

comfortable for breathing. If symptoms: Call

112/ambulance for medical assistance. If no symptoms:

Call a POISON CENTRE or a doctor.

Skin contact: IF ON SKIN: Immediately wash skin with plenty of water.

Thereafter take off all contaminated clothing and wash it before reuse. Continue to wash the skin with water for 15

minutes. Call a POISON CENTRE or a doctor.

Eye contact: IF IN EYES: Immediately rinse with water for several

minutes. Remove contact lenses, if present and easy to do.

Continue rinsing for at least 15 minutes. Call

112/ambulance for medical assistance.

Ingestion: IF SWALLOWED: Immediately rinse mouth. Give something

to drink, if exposed person is able to swallow. Do NOT

Extra Thick Bleach Page 3 of 15



induce vomiting. Call 112/ambulance for medical

assistance.

Burns: Not applicable.

# 4.2. Most important symptoms and effects, both acute and delayed

Tissue-damaging effects: This product contains substances with skin corrosive properties. Inhaled vapour or aerosols may produce adverse effects to lungs, irritations and burns in the respiratory organs as well as coughing. Dermal contact and contact with the eye cause irreversible effects.

# 4.3. Indication of any immediate medical attention and special treatment needed

IF exposed or concerned:

Get immediate medical advice/attention.

#### Information to medics

The eyes should also be rinsed repeatedly on the way to the doctor if eye exposure to alkaline chemicals (pH > 11), amines and acids like acetic acid, formic acid or propionic acid Bring this safety data sheet or the label from this product.

#### **SECTION 5: FIREFIGHTING MEASURES**

# 5.1. Extinguishing media

Suitable extinguishing media: Alcohol-resistant foam, carbon dioxide, powder, water mist. Unsuitable extinguishing media: Waterjets should not be used, since they can spread the fire.

# 5.2. Special hazards arising from the substance or mixture

Fire will result in dense smoke. Exposure to combustion products may harm your health. Closed containers, which are exposed to fire, should be cooled with water. Do not allow fire-extinguishing water to enter the sewage system and nearby surface waters. If the product is exposed to high temperatures, e.g. in the event of fire, dangerous

decomposition compounds are produced. These are:

Halogenated compounds

Some metal oxides

Oxygen, hypochlorous acid, chlorine.

#### 5.3. Advice for firefighters

Wear self-contained breathing apparatus and protective clothing to prevent contact. Upon direct exposure contact The National Poisons Information Service (dial 111, 24 h service) in order to obtain further advice.

Hazchem Code: 2X

#### **SECTION 6: ACCIDENTAL RELEASE MEASURES**

# 6.1. Personal precautions, protective equipment and emergency procedures

Avoid direct contact with spilled substances.

Ensure adequate ventilation, especially in confined areas.

Contaminated areas may be slippery.

# 6.2. Environmental precautions

Avoid discharge to lakes, streams, sewers, etc. Keep unauthorized persons away from the spill

# 6.3. Methods and material for containment and cleaning up

Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth,

Extra Thick Bleach Page 4 of 15



vermiculite or diatomaceous earth and place in container for disposal according to local regulations.

Wherever possible cleaning should be performed with normal cleaning agents. Avoid use of solvents.

#### 6.4. Reference to other sections

See section 13 "Disposal considerations" on handling of waste.

See section 8 "Exposure controls/personal protection" for protective measures.

#### **SECTION 7: HANDLING AND STORAGE**

# 7.1. Precautions for safe handling

Avoid direct contact with the product.

Smoking, drinking and consumption of food is not allowed in the work area.

See section 8 "Exposure controls/personal protection" for information on personal protection.

# 7.2. Conditions for safe storage, including any incompatibilities

Containers that have been opened must be carefully resealed and kept upright to prevent leakage.

Recommended storage material:

Keep only in original packaging. Dry, cool and well ventilated

Storage temperature:
Incompatible materials:

Strong acids, alkali metals, metal powders, oxidizing materials and amines. Contact with metals can result in

decomposition with the formation of oxygen.

Strong acids

# 7.3. Specific end use(s)

This product should only be used for applications quoted in section 1.2.

#### **SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**

# 8.1. Control parameters

sodium hydroxide; caustic soda

Short term exposure limit (15 minutes) (mg/m³): 2

The Control of Substances Hazardous to Health Regulations 2002. SI 2002/2677 The Stationery Office 2002.

EH40/2005 Workplace exposure limits (Fourth Edition 2020).

#### **DNEL**

Alcohols, C12-14, ethoxylated, sulfates, sodium salts

Duration:	Route of exposure:	DNEL:
Long term – Local effects - General population	Dermal	79 μg/cm²
Long term – Local effects - Workers	Dermal	132 μg/cm²
Long term – Systemic effects - General population	Dermal	1650 mg/kg bw/day
Long term – Systemic effects - Workers	Dermal	2750 mg/kg bw/day

Extra Thick Bleach Page 5 of 15



Long term – Systemic effects - General population	Inhalation	52 mg/m³
Long term – Systemic effects - Workers	Inhalation	175 mg/m³
Long term – Systemic effects - General population	Oral	15 mg/kg bw/day

N,N-dimethyltetradecylamine N-oxide

Duration:	Route of exposure:	DNEL:
Long term – Systemic effects - General population	Dermal	5.5 mg/kg bw/day
Long term – Systemic effects - Workers	Dermal	11 mg/kg bw/day
Long term – Systemic effects - General population	Inhalation	1.53 mg/m³
Long term – Systemic effects - Workers	Inhalation	6.2 mg/m <sup>3</sup>
Long term – Systemic effects - General population	Oral	440 μg/kgbw/day

sodium hydroxide;caustic soda

Duration:	Route of exposure:	DNEL:
Long term – Local effects - General population	Inhalation	1 mg/m³
Long term – Local effects - Workers	Inhalation	1 mg/m³

sodium hypochlorite, solution ... % Cl active

Duration:	Route of exposure:	DNEL:
Long term – Local effects - General population	Inhalation	1.55 mg/m <sup>3</sup>
Long term – Local effects - Workers	Inhalation	1.55 mg/m <sup>3</sup>
Long term – Systemic effects - General population	Inhalation	1.55 mg/m <sup>3</sup>
Long term – Systemic effects - Workers	Inhalation	1.55 mg/m <sup>3</sup>
Short term – Local effects - General population	Inhalation	3.1 mg/m³
Short term – Local effects - Workers	Inhalation	3.1 mg/m <sup>3</sup>
Short term – Systemic effects - General population	Inhalation	3.1 mg/m <sup>3</sup>
Short term – Systemic effects - Workers	Inhalation	3.1 mg/m³
Long term – Systemic effects - General population	Oral	260 μg/kgbw/day

# **PNEC**

Alcohols, C12-14, ethoxylated, sulfates, sodium salts

Route of exposure:	<b>Duration of Exposure:</b>	PNEC:
Freshwater		240 μg/L
Freshwater sediment		916.8 µg/kg
Intermittent release (freshwater)		71 μg/L
Marine water		24 μg/L
Marine water sediment		91.7 μg/kg
Sewage treatment plant		10 g/L
Soil		7.5 mg/kg

N,N-dimethyltetradecylamine N-oxide

Route of exposure:	Duration of Exposure:	PNEC:
Freshwater		33.5 μg/L

Extra Thick Bleach Page 6 of 15



Freshwater sediment	5.24 mg/kg
Intermittent release (freshwater)	33.5 μg/L
Marine water	3.35 µg/L
Marine water sediment	524 μg/kg
Predators	11.1 mg/kg
Sewage treatment plant	24 mg/L
Soil	1.02 mg/kg

sodium hypochlorite, solution ... % Cl active

Route of exposure:	Duration of Exposure:	PNEC:
Freshwater		210 ng/L
Intermittent release (freshwater)		260 ng/L
Marine water		42 ng/L
Predators		11.1 mg/kg
Sewage treatment plant		4.69 mg/L

#### 8.2. **Exposure controls**

Compliance with the given occupational exposure limits values should be controlled on a regular

General recommendations: Smoking, drinking and consumption of food is not allowed

in the work area.

There are no exposure scenarios implemented for this Exposure scenarios:

product.

Exposure limits: Professional users are subjected to the legally set

maximum concentrations for occupational exposure. See

occupational hygiene limit values above.

Appropriate technical measures: The formation of vapours must be kept at a minimum and

> below current limit values (see above). Installation of a local exhaust system if normal air flow in the work room is

not sufficient is recommended. Ensure eyewash and

emergency showers are clearly marked.

Ensure that eyewash stations and safety showers are

located within easy reach.

Apply standard precautions during use of the product.

Avoid inhalation of vapours.

In between use of the product and at the end of the Hygiene measures:

working day all exposed areas of the body must be washed

thoroughly. Always wash hands, forearms and face.

Measures to avoid environmental

exposure:

Keep damming materials near the workplace. If possible,

collect spillage during work.

# Individual protection measures, such as personal protective equipment

Generally: Wash contaminated clothing before reuse.

Use only UKCA marked protective equipment.

Respiratory Equipment:

Extra Thick Bleach Page 7 of 15



Туре	Class	Colour	Standards	
Ensure there is sufficient ventilation.				

Skin protection:

Recommended	Type/Category	Standards	
Wear appropriate protection clothing, e.g. coveralls in polypropylene or working clothes in cotton or polyester.	-	-	

Hand protection:

Material	Glove thickness (mm)	Breakthrough time (min.)	Standards	
Gloves	-	> 360	EN374	

Eye protection:

Туре	Standards	
Safety glasses	EN166	

# **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

# 9.1. Information on basic physical and chemical properties

Physical state: Gel

Colour: Yellowish
Odour / Odour threshold: Chlorine
pH: 12.0 - 14.0

Density  $(g/cm^3)$ : 1.01

Kinematic viscosity: Testing not relevant or not possible due to the nature of

the product.

Particle characteristics: Does not apply to liquids.

Phase changes

*Melting point/Freezing point (°C):* Testing not relevant or not possible due to the nature of

the product.

Softening point/range (waxes and

pastes) (°C):

Does not apply to liquids.

Boiling point (°C): Testing not relevant or not possible due to the nature of

the product.

Vapour pressure: Testing not relevant or not possible due to the nature of

Extra Thick Bleach Page 8 of 15



the product.

Relative vapour density: Testing not relevant or not possible due to the nature of

the product.

Decomposition temperature (°C): Testing not relevant or not possible due to the nature of

the product.

Data on fire and explosion hazards

Flash point (°C): Testing not relevant or not possible due to the nature of

the product.

Flammability (°C): Testing not relevant or not possible due to the nature of

the product.

Auto-ignition temperature (°C): Testing not relevant or not possible due to the nature of

the product.

Lower and upper explosion limit (%

v/v):

Testing not relevant or not possible due to the nature of

the product.

Solubility

Solubility in water: Very soluble

*n-octanol/water coefficient (LogKow):* Testing not relevant or not possible due to the nature of

the product.

Solubility in fat (g/L): Testing not relevant or not possible due to the nature of

the product.

9.2. Other information

Oxidizing properties: Testing not relevant or not possible due to the nature of

the product.

Other physical and chemical

parameters:

No data available.

#### **SECTION 10: STABILITY AND REACTIVITY**

### 10.1. Reactivity

Contact with acids liberates toxic gas.

Reacts violently with alkali metals, metal powders, oxidizing materials and amines.

#### 10.2. Chemical stability

The product is stable under the conditions, noted in section 7 "Handling and storage".

# 10.3. Possibility of hazardous reactions

Contact with acids liberates toxic gas.

#### 10.4. Conditions to avoid

Protect from sunlight. Do no expose to temperatures exceeding 20 °C/68 °F.

# 10.5. Incompatible materials

Strong acids, alkali metals, metal powders, oxidizing materials and amines. Contact with metals can result in decomposition with the formation of oxygen.

Strong acids

# 10.6. Hazardous decomposition products

Oxygen, hypochlorous acid, chlorine.

Thermal decomposition may produce corrosive vapours.

Extra Thick Bleach Page 9 of 15

# **SECTION 11: TOXICOLOGICAL INFORMATION**

# 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008 as retained and amended in UK law

### **Acute toxicity**

Based on available data, the classification criteria are not met.

#### Skin corrosion/irritation

Causes severe skin burns and eye damage.

# Serious eye damage/irritation

Causes serious eye damage.

# **Respiratory sensitisation**

Based on available data, the classification criteria are not met.

#### Skin sensitisation

Based on available data, the classification criteria are not met.

### Germ cell mutagenicity

Based on available data, the classification criteria are not met.

# Carcinogenicity

Based on available data, the classification criteria are not met.

# Reproductive toxicity

Based on available data, the classification criteria are not met.

# STOT-single exposure

Based on available data, the classification criteria are not met.

#### **STOT-repeated exposure**

Based on available data, the classification criteria are not met.

### **Aspiration hazard**

Based on available data, the classification criteria are not met.

# 11.2. Information on other hazards

#### Long term effects

Tissue-damaging effects: This product contains substances with skin corrosive properties. Inhaled vapour or aerosols may produce adverse effects to lungs, irritations and burns in the respiratory organs as well as coughing. Dermal contact and contact with the eye cause irreversible effects.

#### **Endocrine disrupting properties**

This mixture/product does not contain any substances known to have hormone-disrupting properties in relation to health.

#### Other information

None known.

# **SECTION 12: ECOLOGICAL INFORMATION**

#### 12.1. Toxicity

No data available.



# 12.2. Persistence and degradability

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No 648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

#### 12.3. Bioaccumulative potential

No data available.

# 12.4. Mobility in soil

No data available.

# 12.5. Results of PBT and vPvB assessment

This mixture/product does not contain any substances known to fulfil the criteria for PBT and vPvB classification.

# 12.6. Endocrine disrupting properties

This mixture/product does not contain any substances considered to have endocrine-disrupting properties in relation to the environment.

#### 12.7. Other adverse effects

This product contains substances that are toxic to the environment. May result in adverse effects to aquatic organisms.

#### **SECTION 13: DISPOSAL CONSIDERATIONS**

#### Waste treatment methods

Product is covered by the regulations on hazardous waste.

HP 8 - Corrosive

Dispose of contents/container to an approved waste disposal plant.

Regulation (EU) No 1357/2014 of 18 December 2014 on waste as retained and amended in UK law.

#### **EWC** code

Not applicable.

# Specific labelling

#### Contaminated packing

Packaging containing residues of the product must be disposed of similarly to the product.

#### **SECTION 14: TRANSPORT INFORMATION**

	14.1 UN / ID	14.2 UN proper shipping name	14.3 Hazard class(es)	14.4 PG*		Other information:
ADR	UN1760	CORROSIVE LIQUID, N.O.S. (sodium hypochlorite, solution % Cl active, sodium hydroxide;caustic soda)	Transport hazard class: 8 Label: 8 Classification code: C9	III	No	Limited quantities: 5 L Tunnel restriction code: (E) See below for additional information.

Extra Thick Bleach Page 11 of 15



		14.2 UN proper shipping name	14.3 Hazard class(es)	14.4 PG*		Other information:
IMDG	UN1760	CORROSIVE LIQUID, N.O.S. (sodium hypochlorite, solution % Cl active, sodium hydroxide;caustic soda)	Transport hazard class: 8 Label: 8 Classification code: C9	III		Limited quantities: 5 L EmS: F-A S-B See below for additional information.
IATA	UN1760	CORROSIVE LIQUID, N.O.S. (sodium hypochlorite, solution % Cl active, sodium hydroxide;caustic soda)	Transport hazard class: 8 Label: 8 Classification code: C9	III	No	See below for additional information.

<sup>\*</sup> Packing group

#### **Additional information**

ADR / See Table A, section 3.2.1 for any information on special provisions, requirements, or warnings in connection with transport. See section 5.4.3, for instructions in writing regarding mitigation of damages in relation to incidents or accidents during transport.

IMDG / See section 3.2.1, for any information on special provisions, requirements, or warnings in connection with transport.

IATA / See Table 4.2 for any information on special provisions, requirements, or warnings in connection with transport.

This product is within scope of the regulations of transport of dangerous goods.

Hazchem Code: 2X

### 14.6. Special precautions for user

Not applicable.

# 14.7. Maritime transport in bulk according to IMO instruments

No data available.

### **SECTION 15: REGULATORY INFORMATION**

# 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Restrictions for application: People under the age of 18 shall not be exposed to this

product.

*Demands for specific education:* No specific requirements.

SEVESO - Categories / dangerous

substances:

Not applicable.

Biocidal Products Regulations: Product type: PT2 - Disinfectants and algaecides not

intended for direct application to humans or animals

Restrictions on use: -

Directions for use and dose rate: Additional information: -

Extra Thick Bleach Page 12 of 15

<sup>\*\*</sup> Environmental hazards



#### **▼ UK-REACH, Annex XVII**

Hi Chlor Thickened Bleach is subject to UK-REACH restrictions, UK-REACH annex XVII (entry 3).

Labelling of contents according to

Detergents Regulation (EC) No

648/2004 as retained and amended in · Amphoteric surfactants UK law: · Anionic surfactants

· Chlorine-based bleaching Agents

Additional information: The surfactant(s) contained in this preparation

< 5%

complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No 648/2004 on detergents as retained and amended in UK law. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made

available to them, at their direct request or at the request

of a detergent manufacturer.

Tactile warning.

If this product is sold in retail, it must be delivered with

child-resistant fastening.

Sources: The Management of Health and Safety at Work

Regulations 1999.

Regulation (EC) No 648/2004 on detergents as retained

and amended in UK law.

In accordance with Regulation (EU) No 528/2012

concerning the making available on the market and use of biocidal products as retained and amended in UK law. Regulation (EU) No 1357/2014 of 18 December 2014 on

waste as retained and amended in UK law.

Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures (CLP) as

retained and amended in UK law.

Regulation (EC) No 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals

(REACH) as retained and amended in UK law.

# 15.2. Chemical safety assessment

No

#### **SECTION 16: OTHER INFORMATION**

# Full text of H-phrases as mentioned in section 3

EUH031, Contact with acids liberates toxic gas.

H302, Harmful if swallowed.

H314, Causes severe skin burns and eye damage.

H315, Causes skin irritation.

H318, Causes serious eye damage.

H400, Very toxic to aquatic life.

H411, Toxic to aquatic life with long lasting effects.

H412, Harmful to aquatic life with long lasting effects.

#### The full text of identified uses as mentioned in section 1

LCS "PW" = Professional uses: Public domain (administration, education, entertainment, services,

Extra Thick Bleach Page 13 of 15



craftsmen)

PC 35 = Washing and Cleaning Products (including solvent based products)

# **Abbreviations and acronyms**

ADN = European Provisions concerning the International Carriage of Dangerous Goods by Inland Waterway

ADR = The European Agreement concerning the International Carriage of Dangerous Goods by Road

ATE = Acute Toxicity Estimate

BCF = Bioconcentration Factor

CAS = Chemical Abstracts Service

CE = Conformité Européenne (European conformity)

CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No. 1272/2008]

CSA = Chemical Safety Assessment

CSR = Chemical Safety Report

DMEL = Derived Minimal Effect Level

DNEL = Derived No Effect Level

EINECS = European Inventory of Existing Commercial chemical Substances

ES = Exposure Scenario

EUH statement = CLP-specific Hazard statement

EuPCS = European Product Categorisation System

EWC = European Waste Catalogue

GHS = Globally Harmonized System of Classification and Labelling of Chemicals

IARC = International Agency for Research on Cancer (IARC)

IATA = International Air Transport Association

IBC = Intermediate Bulk Container

IMDG = International Maritime Dangerous Goods

LogPow = logarithm of the octanol/water partition coefficient

MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as

modified by the Protocol of 1978. ("Marpol" = marine pollution)

OECD = Organisation for Economic Co-operation and Development

PBT = Persistent, Bioaccumulative and Toxic

PNEC = Predicted No Effect Concentration

RID = The Regulations concerning the International Carriage of Dangerous Goods by Rail

RRN = REACH Registration Number

SCL = A specific concentration limit

SVHC = Substances of Very High Concern

STOT-RE = Specific Target Organ Toxicity - Repeated Exposure

STOT-SE = Specific Target Organ Toxicity - Single Exposure

TWA = Time weighted average

UN = United Nations

UVBC = Unknown or variable composition, complex reaction products or of biological materials

VOC = Volatile Organic Compound

vPvB = Very Persistent and Very Bioaccumulative

# **Additional information**

The classification of the substance/mixture in regard of health hazards are in accordance with the calculation methods given by Regulation (EC) No. 1272/2008 (CLP) as retained and amended in UK law.

The classification of the substance/mixture in regard of skin corrosion and serious eye damage is based on the pH-criterion given by Regulation (EC) No. 1272/2008 (CLP) as retained and amended in UK law.

# **▼** The safety data sheet is validated by

Extra Thick Bleach Page 14 of 15



# **Anglian Chemicals**

# Other

A change (in proportion to the last essential change (first cipher in SDS version, see section 1)) is marked with a blue triangle.

The information in this safety data sheet applies only to this specific product (mentioned in section 1) and is not necessarily correct for use with other chemicals/products. It is recommended to hand over this safety data sheet to the actual user of the product. Information in this safety data sheet cannot be used as a product specification. Country-language: GB-en