

SAFETY DATA SHEET

# Purple Beerline Cleaner

## SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

### 1.1. Product identifier

*Trade name:* Purple Beerline Cleaner  
*Product no.:* C40023

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

*Relevant identified uses of the substance or mixture:* Cleaning product  
 Restricted to professional users.

*Use descriptors (UK REACH):*

Product category	Description
PC 35	Washing and Cleaning Products (including solvent based products)

*Uses advised against :* None known.

### 1.3. Details of the supplier of the safety data sheet

*Company and address:* **BFS Group Ltd**  
 814 Leigh Road  
 SL1 4BD Slough  
 United Kingdom  
 Responsible Person for SDS: +44(0)1328851407  
 www.caterfoodbg.co.uk

*E-mail:* chemists@anglianchemicals.com

*Revision:* 14/12/2023

*SDS Version:* 1.0

*Date of previous version:* 04/12/2023 (1.0)

### 1.4. Emergency telephone number

Contact The National Poisons Information Service (dial 111, 24 h service).  
 See section 4 "First aid measures".

## SECTION 2: HAZARDS IDENTIFICATION

Classified according to Regulation (EC) No. 1272/2008 (CLP) as retained and amended in UK law.

### 2.1. Classification of the substance or mixture

Skin Corr. 1; H314, Causes severe skin burns and eye damage.  
 Eye Dam. 1; H318, Causes serious eye damage.

### 2.2. Label elements

*Hazard pictogram(s):*



According to REACH Regulation (EC) No 1907/2006, as retained and amended SI 2019/758 and SI 2020/1577

<i>Signal word:</i>	Danger
<i>Hazard statement(s):</i>	Causes severe skin burns and eye damage. (H314)
<i>Precautionary statement(s):</i>	
<i>General:</i>	-
<i>Prevention:</i>	Do not breathe vapour/mist. (P260) Wear eye protection/protective gloves/protective clothing. (P280)
<i>Response:</i>	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water . (P303+P361+P353) IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. (P305+P351+P338) Immediately call a POISON CENTER/doctor. (P310)
<i>Storage:</i>	-
<i>Disposal:</i>	Dispose of contents/container in accordance with local regulation (P501)
<i>Hazardous substances:</i>	sodium hypochlorite, solution ... % Cl active
<i>Additional labelling:</i>	Active substance(s): sodium hypochlorite, solution ... % Cl active (0.239 g/100g)
<i>Labelling of contents according to Detergents Regulation (EC) No 648/2004 as retained and amended in UK law:</i>	< 5% · Chlorine-based bleaching Agents

### 2.3. Other hazards

<i>Additional warnings:</i>	This mixture/product does not contain any substances known to fulfil the criteria for PBT and vPvB classification. This product does not contain any substances considered to be endocrine disruptors in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.
-----------------------------	---

## SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

### 3.1. Substances

Not applicable. This product is a mixture.

### 3.2. Mixtures

Product/substance	Identifiers	% w/w	Classification	Note
sodium hypochlorite, solution ... % Cl active	CAS No.: 7681-52-9 EC No.: 231-668-3 UK-REACH: Index No.: 017-011-00-1	<0.25%	EUH031 Skin Corr. 1B, H314 Aquatic Acute 1, H400 (M=1)	

See full text of H-phrases in section 16. Occupational exposure limits are listed in section 8, if these are available.

## Other information

-

## SECTION 4: FIRST AID MEASURES

### 4.1. Description of first aid measures

<i>General information:</i>	In the case of accident: Contact a doctor or casualty department – take the label or this safety data sheet. Contact a doctor if in doubt about the injured person’s condition or if the symptoms persist. Never give an unconscious person water or other drink.
<i>Inhalation:</i>	IF INHALED: Move to fresh air and keep at rest in a position comfortable for breathing. If symptoms: Call 112/ambulance for medical assistance. If no symptoms: Call a POISON CENTRE or a doctor.
<i>Skin contact:</i>	IF ON SKIN: Immediately wash skin with plenty of water. Thereafter take off all contaminated clothing and wash it before reuse. Continue to wash the skin with water for 15 minutes. Call a POISON CENTRE or a doctor.
<i>Eye contact:</i>	IF IN EYES: Immediately rinse with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing for at least 15 minutes. Call 112/ambulance for medical assistance.
<i>Ingestion:</i>	IF SWALLOWED: Immediately rinse mouth. Give something to drink, if exposed person is able to swallow. Do NOT induce vomiting. Call 112/ambulance for medical assistance.
<i>Burns:</i>	Not applicable.

### 4.2. Most important symptoms and effects, both acute and delayed

Tissue-damaging effects: This product contains substances with skin corrosive properties. Inhaled vapour or aerosols may produce adverse effects to lungs, irritations and burns in the respiratory organs as well as coughing. Dermal contact and contact with the eye cause irreversible effects.

### 4.3. Indication of any immediate medical attention and special treatment needed

IF exposed or concerned:  
Get immediate medical advice/attention.

### Information to medics

The eyes should also be rinsed repeatedly on the way to the doctor if eye exposure to alkaline chemicals (pH > 11), amines and acids like acetic acid, formic acid or propionic acid  
Bring this safety data sheet or the label from this product.

## SECTION 5: FIREFIGHTING MEASURES

### 5.1. Extinguishing media

Suitable extinguishing media: Alcohol-resistant foam, carbon dioxide, powder, water mist.

According to REACH Regulation (EC) No 1907/2006, as retained and amended SI 2019/758 and SI 2020/1577

Unsuitable extinguishing media: Waterjets should not be used, since they can spread the fire.

**5.2. Special hazards arising from the substance or mixture**

Fire will result in dense smoke. Exposure to combustion products may harm your health. Closed containers, which are exposed to fire, should be cooled with water. Do not allow fire-extinguishing water to enter the sewage system and nearby surface waters.

**5.3. Advice for firefighters**

Wear self-contained breathing apparatus and protective clothing to prevent contact. Upon direct exposure contact The National Poisons Information Service (dial 111, 24 h service) in order to obtain further advice.

Hazchem Code: 2X

**SECTION 6: ACCIDENTAL RELEASE MEASURES**

**6.1. Personal precautions, protective equipment and emergency procedures**

Avoid direct contact with spilled substances.  
 Ensure adequate ventilation, especially in confined areas.  
 Contaminated areas may be slippery.

**6.2. Environmental precautions**

Avoid discharge to lakes, streams, sewers, etc.  
 Keep unauthorized persons away from the spill

**6.3. Methods and material for containment and cleaning up**

Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations.

Wherever possible cleaning should be performed with normal cleaning agents. Avoid use of solvents.

**6.4. Reference to other sections**

See section 13 "Disposal considerations" on handling of waste.  
 See section 8 "Exposure controls/personal protection" for protective measures.

**SECTION 7: HANDLING AND STORAGE**

**7.1. Precautions for safe handling**

Avoid direct contact with the product.  
 Smoking, drinking and consumption of food is not allowed in the work area.  
 See section 8 "Exposure controls/personal protection" for information on personal protection.

**7.2. Conditions for safe storage, including any incompatibilities**

Containers that have been opened must be carefully resealed and kept upright to prevent leakage.

*Recommended storage material:* Keep only in original packaging.

*Storage temperature:* Dry, cool and well ventilated

*Incompatible materials:* Strong acids

**7.3. Specific end use(s)**

This product should only be used for applications quoted in section 1.2.

**SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**

**8.1. Control parameters**

Potassium hydroxide  
Short term exposure limit (15 minutes) (mg/m<sup>3</sup>): 2

The Control of Substances Hazardous to Health Regulations 2002. SI 2002/2677 The Stationery Office 2002.  
EH40/2005 Workplace exposure limits (Fourth Edition 2020).

**DNEL**

Potassium hydroxide

Duration:	Route of exposure:	DNEL:
Long term – Local effects - General population	Inhalation	1 mg/m <sup>3</sup>
Long term – Local effects - Workers	Inhalation	1 mg/m <sup>3</sup>

sodium hypochlorite, solution ... % Cl active

Duration:	Route of exposure:	DNEL:
Long term – Local effects - General population	Inhalation	1.55 mg/m <sup>3</sup>
Long term – Local effects - Workers	Inhalation	1.55 mg/m <sup>3</sup>
Long term – Systemic effects - General population	Inhalation	1.55 mg/m <sup>3</sup>
Long term – Systemic effects - Workers	Inhalation	1.55 mg/m <sup>3</sup>
Short term – Local effects - General population	Inhalation	3.1 mg/m <sup>3</sup>
Short term – Local effects - Workers	Inhalation	3.1 mg/m <sup>3</sup>
Short term – Systemic effects - General population	Inhalation	3.1 mg/m <sup>3</sup>
Short term – Systemic effects - Workers	Inhalation	3.1 mg/m <sup>3</sup>
Long term – Systemic effects - General population	Oral	260 µg/kgbw/day

**PNEC**

sodium hypochlorite, solution ... % Cl active

Route of exposure:	Duration of Exposure:	PNEC:
Freshwater		210 ng/L
Intermittent release (freshwater)		260 ng/L
Marine water		42 ng/L
Predators		11.1 mg/kg
Sewage treatment plant		4.69 mg/L

**8.2. Exposure controls**

Compliance with the given occupational exposure limits values should be controlled on a regular basis.

*General recommendations:* Smoking, drinking and consumption of food is not allowed in the work area.

*Exposure scenarios:* There are no exposure scenarios implemented for this product.

According to REACH Regulation (EC) No 1907/2006, as retained and amended SI 2019/758 and SI 2020/1577

<i>Exposure limits:</i>	Professional users are subjected to the legally set maximum concentrations for occupational exposure. See occupational hygiene limit values above.
<i>Appropriate technical measures:</i>	The formation of vapours must be kept at a minimum and below current limit values (see above). Installation of a local exhaust system if normal air flow in the work room is not sufficient is recommended. Ensure eyewash and emergency showers are clearly marked. Ensure that eyewash stations and safety showers are located within easy reach. Apply standard precautions during use of the product. Avoid inhalation of vapours.
<i>Hygiene measures:</i>	In between use of the product and at the end of the working day all exposed areas of the body must be washed thoroughly. Always wash hands, forearms and face.
<i>Measures to avoid environmental exposure:</i>	Keep damming materials near the workplace. If possible, collect spillage during work.


**Individual protection measures, such as personal protective equipment**

*Generally:* Wash contaminated clothing before reuse. Use only UKCA marked protective equipment.


*Respiratory Equipment:*

Type	Class	Colour	Standards	
Ensure there is sufficient ventilation.				


*Skin protection:*

Recommended	Type/Category	Standards	
Wear appropriate protection clothing, e.g. coveralls in polypropylene or working clothes in cotton or polyester.	-	-	

*Hand protection:*

Material	Glove thickness (mm)	Breakthrough time (min.)	Standards	
Gloves	-	> 480	EN374	

*Eye protection:*

Type	Standards	
Safety glasses	EN166	

## SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

### 9.1. Information on basic physical and chemical properties

<i>Physical state:</i>	Liquid
<i>Colour:</i>	Purple
<i>Odour / Odour threshold:</i>	Chlorine
<i>pH:</i>	12.8 - 13.5
<i>Density (g/cm<sup>3</sup>):</i>	Testing not relevant or not possible due to the nature of the product.
<i>Kinematic viscosity:</i>	Testing not relevant or not possible due to the nature of the product.
<i>Particle characteristics:</i>	Does not apply to liquids.

### Phase changes

<i>Melting point/Freezing point (°C):</i>	Testing not relevant or not possible due to the nature of the product.
<i>Softening point/range (waxes and pastes) (°C):</i>	Does not apply to liquids.
<i>Boiling point (°C):</i>	Testing not relevant or not possible due to the nature of the product.
<i>Vapour pressure:</i>	Testing not relevant or not possible due to the nature of the product.
<i>Relative vapour density:</i>	Testing not relevant or not possible due to the nature of the product.
<i>Decomposition temperature (°C):</i>	Testing not relevant or not possible due to the nature of the product.

### Data on fire and explosion hazards

<i>Flash point (°C):</i>	Testing not relevant or not possible due to the nature of the product.
<i>Flammability (°C):</i>	Testing not relevant or not possible due to the nature of the product.
<i>Auto-ignition temperature (°C):</i>	Testing not relevant or not possible due to the nature of the product.
<i>Lower and upper explosion limit (% v/v):</i>	Testing not relevant or not possible due to the nature of the product.

### Solubility

<i>Solubility in water:</i>	Completely soluble
<i>n-octanol/water coefficient (LogKow):</i>	Testing not relevant or not possible due to the nature of the product.
<i>Solubility in fat (g/L):</i>	Testing not relevant or not possible due to the nature of the product.

### 9.2. Other information

According to REACH Regulation (EC) No 1907/2006, as retained and amended SI 2019/758 and SI 2020/1577

<i>Oxidizing properties:</i>	Testing not relevant or not possible due to the nature of the product.
<i>Other physical and chemical parameters:</i>	No data available.

## SECTION 10: STABILITY AND REACTIVITY

### 10.1. Reactivity

No data available.

### 10.2. Chemical stability

The product is stable under the conditions, noted in section 7 "Handling and storage".

### 10.3. Possibility of hazardous reactions

None known.

### 10.4. Conditions to avoid

None known.

### 10.5. Incompatible materials

Strong acids

### 10.6. Hazardous decomposition products

Thermal decomposition may produce corrosive vapours.

## SECTION 11: TOXICOLOGICAL INFORMATION

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008 as retained and amended in UK law

#### Acute toxicity

Based on available data, the classification criteria are not met.

#### Skin corrosion/irritation

Causes severe skin burns and eye damage.

#### Serious eye damage/irritation

Causes serious eye damage.

#### Respiratory sensitisation

Based on available data, the classification criteria are not met.

#### Skin sensitisation

Based on available data, the classification criteria are not met.

#### Germ cell mutagenicity

Based on available data, the classification criteria are not met.

#### Carcinogenicity

Based on available data, the classification criteria are not met.

#### Reproductive toxicity

Based on available data, the classification criteria are not met.

#### STOT-single exposure

Based on available data, the classification criteria are not met.

#### STOT-repeated exposure



According to REACH Regulation (EC) No 1907/2006, as retained and amended SI 2019/758 and SI 2020/1577

Based on available data, the classification criteria are not met.

### **Aspiration hazard**

Based on available data, the classification criteria are not met.

## **11.2. Information on other hazards**

### **Long term effects**

Tissue-damaging effects: This product contains substances with skin corrosive properties. Inhaled vapour or aerosols may produce adverse effects to lungs, irritations and burns in the respiratory organs as well as coughing. Dermal contact and contact with the eye cause irreversible effects.

### **Endocrine disrupting properties**

This mixture/product does not contain any substances known to have hormone-disrupting properties in relation to health.

### **Other information**

None known.

## **SECTION 12: ECOLOGICAL INFORMATION**

### **12.1. Toxicity**

No data available.

### **12.2. Persistence and degradability**

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No 648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

### **12.3. Bioaccumulative potential**

No data available.

### **12.4. Mobility in soil**

No data available.

### **12.5. Results of PBT and vPvB assessment**

This mixture/product does not contain any substances known to fulfil the criteria for PBT and vPvB classification.

### **12.6. Endocrine disrupting properties**

This mixture/product does not contain any substances considered to have endocrine-disrupting properties in relation to the environment.

### **12.7. Other adverse effects**

This product contains substances that are toxic to the environment. May result in adverse effects to aquatic organisms.

## **SECTION 13: DISPOSAL CONSIDERATIONS**

### **Waste treatment methods**

Product is covered by the regulations on hazardous waste.

HP 8 – Corrosive

Dispose of contents/container to an approved waste disposal plant.

Regulation (EU) No 1357/2014 of 18 December 2014 on waste as retained and amended in UK

According to REACH Regulation (EC) No 1907/2006, as retained and amended SI 2019/758 and SI 2020/1577

law.

**EWC code**




Not applicable.

**Specific labelling**

**Contaminated packing**

Packaging containing residues of the product must be disposed of similarly to the product.

**SECTION 14: TRANSPORT INFORMATION**

	14.1 UN / ID	14.2 UN proper shipping name	14.3 Hazard class(es)	14.4 PG*	14.5 Env**	Other information:
ADR	UN3266	CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S. (sodium hypochlorite, solution ... % Cl active, Potassium hydroxide)	Transport hazard class: 8 Label: 8 Classification code: C5 	III	No	Limited quantities: 5 L Tunnel restriction code: (E) See below for additional information.
IMDG	UN3266	CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S. (sodium hypochlorite, solution ... % Cl active, Potassium hydroxide)	Transport hazard class: 8 Label: 8 Classification code: C5 	III	No	Limited quantities: 5 L EmS: F-A S-B See below for additional information.
IATA	UN3266	CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S. (sodium hypochlorite, solution ... % Cl active, Potassium hydroxide)	Transport hazard class: 8 Label: 8 Classification code: C5 	III	No	See below for additional information.

\* Packing group

\*\* Environmental hazards

**Additional information**

ADR / See Table A, section 3.2.1 for any information on special provisions, requirements, or warnings in connection with transport. See section 5.4.3, for instructions in writing regarding mitigation of damages in relation to incidents or accidents during transport.

IMDG / See section 3.2.1, for any information on special provisions, requirements, or warnings in connection with transport.

IATA / See Table 4.2 for any information on special provisions, requirements, or warnings in connection with transport.

This product is within scope of the regulations of transport of dangerous goods.

Hazchem Code: 2X

**14.6. Special precautions for user**

Not applicable.

According to REACH Regulation (EC) No 1907/2006, as retained and amended SI 2019/758 and SI 2020/1577

#### 14.7. Maritime transport in bulk according to IMO instruments

No data available.

### SECTION 15: REGULATORY INFORMATION

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

<i>Restrictions for application:</i>	Restricted to professional users. People under the age of 18 shall not be exposed to this product.
<i>Demands for specific education:</i>	No specific requirements.
<i>SEVESO - Categories / dangerous substances:</i>	Not applicable.
<i>Biocidal Products Regulations:</i>	Product type: PT2 - Disinfectants and algacides not intended for direct application to humans or animals
<i>Restrictions on use:</i>	-
<i>Directions for use and dose rate:</i>	-
<i>Additional information:</i>	-

#### ▼ UK-REACH, Annex XVII

Beer and Pump Line Cleaner is subject to UK-REACH restrictions, UK-REACH annex XVII (entry 3).

*Labelling of contents according to*

*Detergents Regulation (EC) No 648/2004 as retained and amended in UK law:* < 5%  
· Chlorine-based bleaching Agents

*Additional information:* Not applicable.

*Sources:* The Management of Health and Safety at Work Regulations 1999.  
Regulation (EC) No 648/2004 on detergents as retained and amended in UK law.  
In accordance with Regulation (EU) No 528/2012 concerning the making available on the market and use of biocidal products as retained and amended in UK law.  
Regulation (EU) No 1357/2014 of 18 December 2014 on waste as retained and amended in UK law.  
Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures (CLP) as retained and amended in UK law.  
Regulation (EC) No 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) as retained and amended in UK law.

#### 15.2. Chemical safety assessment

No

### SECTION 16: OTHER INFORMATION

#### Full text of H-phrases as mentioned in section 3

According to REACH Regulation (EC) No 1907/2006, as retained and amended SI 2019/758 and SI 2020/1577

EUH031, Contact with acids liberates toxic gas.  
H314, Causes severe skin burns and eye damage.  
H400, Very toxic to aquatic life.

### **The full text of identified uses as mentioned in section 1**

PC 35 = Washing and Cleaning Products (including solvent based products)

### **Abbreviations and acronyms**

ADN = European Provisions concerning the International Carriage of Dangerous Goods by Inland Waterway  
ADR = The European Agreement concerning the International Carriage of Dangerous Goods by Road  
ATE = Acute Toxicity Estimate  
BCF = Bioconcentration Factor  
CAS = Chemical Abstracts Service  
CE = Conformité Européenne (European conformity)  
CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No. 1272/2008]  
CSA = Chemical Safety Assessment  
CSR = Chemical Safety Report  
DMEL = Derived Minimal Effect Level  
DNEL = Derived No Effect Level  
EINECS = European Inventory of Existing Commercial chemical Substances  
ES = Exposure Scenario  
EUH statement = CLP-specific Hazard statement  
EuPCS = European Product Categorisation System  
EWC = European Waste Catalogue  
GHS = Globally Harmonized System of Classification and Labelling of Chemicals  
IARC = International Agency for Research on Cancer (IARC)  
IATA = International Air Transport Association  
IBC = Intermediate Bulk Container  
IMDG = International Maritime Dangerous Goods  
LogPow = logarithm of the octanol/water partition coefficient  
MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution)  
OECD = Organisation for Economic Co-operation and Development  
PBT = Persistent, Bioaccumulative and Toxic  
PNEC = Predicted No Effect Concentration  
RID = The Regulations concerning the International Carriage of Dangerous Goods by Rail  
RRN = REACH Registration Number  
SCL = A specific concentration limit  
SVHC = Substances of Very High Concern  
STOT-RE = Specific Target Organ Toxicity - Repeated Exposure  
STOT-SE = Specific Target Organ Toxicity - Single Exposure  
TWA = Time weighted average  
UN = United Nations  
UVBC = Unknown or variable composition, complex reaction products or of biological materials  
VOC = Volatile Organic Compound  
vPvB = Very Persistent and Very Bioaccumulative

### **Additional information**

The classification of the substance/mixture in regard of health hazards are in accordance with the calculation methods given by Regulation (EC) No. 1272/2008 (CLP) as retained and amended in UK law.

The classification of the substance/mixture in regard of skin corrosion and serious eye damage

According to REACH Regulation (EC) No 1907/2006, as retained and amended SI 2019/758 and SI 2020/1577

is based on the pH-criterion given by Regulation (EC) No. 1272/2008 (CLP) as retained and amended in UK law.

**▼ The safety data sheet is validated by**

Anglian Chemicals

**Other**

A change (in proportion to the last essential change (first cipher in SDS version, see section 1)) is marked with a blue triangle.

The information in this safety data sheet applies only to this specific product (mentioned in section 1) and is not necessarily correct for use with other chemicals/products.

It is recommended to hand over this safety data sheet to the actual user of the product.

Information in this safety data sheet cannot be used as a product specification.

Country-language: GB-en