

### SAFETY DATA SHEET

## Hand Sanitiser

# SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

#### 1.1. Product identifier

Trade name: Product no.: Hand Sanitiser C40034

# **1.2.** Relevant identified uses of the substance or mixture and uses advised against *Relevant identified uses of the* Biocide

Relevant identified uses of the substance or mixture:

Use descriptors (UK REACH):

Product category	Description
	Washing and Cleaning Products (including solvent based products)

Uses advised against :

Uses other than those identified are not recommended

#### 1.3. Details of the supplier of the safety data sheet

Company and address:	<b>BFS Group Ltd</b> 814 Leigh Road SL1 4BD Slough United Kingdom Responsible Person for SDS: +44(0)1328851407 www.caterfoodbg.co.uk
E-mail:	chemists@anglianchemicals.com
Revision:	14/12/2023
SDS Version:	1.0
Date of previous version:	14/12/2023 (1.0)

#### 1.4. Emergency telephone number

Contact The National Poisons Information Service (dial 111, 24 h service). See section 4 "First aid measures".

#### **SECTION 2: HAZARDS IDENTIFICATION**

Classified according to Regulation (EC) No. 1272/2008 (CLP) as retained and amended in UK law.

**2.1.** Classification of the substance or mixture Flam. Liq. 3; H226, Flammable liquid and vapour.

#### 2.2. Label elements

Hazard pictogram(s):





Signal word:	Warning
Hazard statement(s):	Flammable liquid and vapour. (H226)
Precautionary statement(s):	
General:	Keep out of reach of children. (P102)
Prevention:	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. (P210)
Response:	In case of fire: Use water mist/carbon dioxide/alcohol- resistant foam to extinguish. (P370+P378)
Storage:	Store in a well-ventilated place. Keep cool. (P403+P235)
Disposal:	Dispose of contents/container in accordance with local regulation (P501)
Hazardous substances:	None known.
Additional labelling:	Active substance(s): propan-2-ol;isopropyl alcohol;isopropanol (0.99 g/100g)
Other hazards	
Additional warnings:	This mixture/product does not contain any substances known to fulfil the criteria for PBT and vPvB classification. This product does not contain any substances considered to be endocrine disruptors in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

#### **SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS**

#### 3.1. Substances

Not applicable. This product is a mixture.

### 3.2. Mixtures

2.3.

Product/substance	Identifiers	% w/w	Classification	Note
ethanol;ethyl alcohol	CAS No.: 64-17-5 EC No.: 200-578-6 UK-REACH: Index No.: 603-002-00-5	60-80%	Flam. Liq. 2, H225	

See full text of H-phrases in section 16. Occupational exposure limits are listed in section 8, if these are available.

### Other information

-

### **SECTION 4: FIRST AID MEASURES**

#### 4.1. Description of first aid measures



General information:	In the case of accident: Contact a doctor or casualty department – take the label or this safety data sheet. Contact a doctor if in doubt about the injured person's condition or if the symptoms persist. Never give an unconscious person water or other drink.
Inhalation:	Upon breathing difficulties or irritation of the respiratory tract: Bring the person into fresh air and stay with him/her.
Skin contact:	Remove contaminated clothing and shoes immediately. Ensure to wash exposed skin thoroughly with water and soap. Skin cleanser can be used. DO NOT use solvents or thinners.
Eye contact:	If in eyes: Flush eyes with water or saline water (20-30 °C) for at least 5 minutes. Remove contact lenses. Seek medical assistance and continue flushing during transport.
Ingestion:	If the person is conscious, rinse the mouth with water and stay with the person. Never give the person anything to drink. In case of malaise, seek medical advice immediately and bring the safety data sheet or label from the product. Do not induce vomiting, unless recommended by the doctor. Have the person lean forward with head down to avoid inhalation of or choking on vomited material.
Burns:	Rinse with water until pain stops then continue to rinse for 30 minutes.

#### 4.2. Most important symptoms and effects, both acute and delayed

Neurotoxic effects: This product contains organic solvents, which may cause adverse effects to the nervous system. Symptoms of neurotoxicity include: loss of appetite, headache, dizziness, ringing in ears, tingling sensations of skin, sensitivity to the cold, cramps, difficulty in concentrating, tiredness, etc. Repeated exposure to solvents can result in the breaking down of the skin's natural fat layer and may result in an increased absorption potential of other hazardous substances at the area of exposure.

#### **4.3. Indication of any immediate medical attention and special treatment needed** Treat symptomatically.

#### Information to medics

Bring this safety data sheet or the label from this product.

#### **SECTION 5: FIREFIGHTING MEASURES**

#### 5.1. Extinguishing media

Suitable extinguishing media: Alcohol-resistant foam, carbon dioxide, powder, water mist. Unsuitable extinguishing media: Waterjets should not be used, since they can spread the fire.

#### 5.2. Special hazards arising from the substance or mixture

Flammable liquid and vapour.

In use may form flammable/explosive vapour-air mixture.

Fire will result in dense smoke. Exposure to combustion products may harm your health. Closed containers, which are exposed to fire, should be cooled with water. Do not allow fire-extinguishing water to enter the sewage system and nearby surface waters.

If the product is exposed to high temperatures, e.g. in the event of fire, dangerous



decomposition compounds are produced. These are: Carbon oxides (CO / CO2)

### 5.3. Advice for firefighters

Wear self-contained breathing apparatus and protective clothing to prevent contact. Upon direct exposure contact The National Poisons Information Service (dial 111, 24 h service) in order to obtain further advice. Hazchem Code: •2Y

### SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Storages not yet ignited must be cooled by water mist. Remove flammable materials if conditions allow it. Ensure sufficient ventilation. Ensure adequate ventilation, especially in confined areas. Contaminated areas may be slippery.

#### 6.2. Environmental precautions

Avoid discharge to lakes, streams, sewers, etc. Keep unauthorized persons away from the spill

#### 6.3. Methods and material for containment and cleaning up

Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations.

Wherever possible cleaning should be performed with normal cleaning agents. Avoid use of solvents.

#### 6.4. Reference to other sections

See section 13 "Disposal considerations" on handling of waste. See section 8 "Exposure controls/personal protection" for protective measures.

#### SECTION 7: HANDLING AND STORAGE

#### 7.1. Precautions for safe handling

Ground and bond container and receiving equipment. Use explosion-proof [electrical/lighting/ventilating] equipment. Use non-sparking tools.

Take action to prevent static discharges.

Smoking, drinking and consumption of food is not allowed in the work area.

See section 8 "Exposure controls/personal protection" for information on personal protection.

#### 7.2. Conditions for safe storage, including any incompatibilities

Store in tightly closed containers and store protected from moisture and light. Containers should be dated when opened and tested periodically for the presence of peroxides. Do not exceed storage time limits.

Containers that have been opened must be carefully resealed and kept upright to prevent leakage.

Take action to prevent static discharges.

Must be stored in a cool and well-ventilated area, away from possible sources of ignition.

*Recommended storage material:* Keep only in original packaging.

Storage temperature:

Dry, cool and well ventilated



Incompatible materials:

Strong acids, strong bases, strong oxidizing agents, and strong reducing agents.

#### 7.3. Specific end use(s)

This product should only be used for applications guoted in section 1.2.

#### **SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**

#### 8.1. **Control parameters**

ethanol; ethyl alcohol Long term exposure limit (8 hours) (ppm): 1000 Long term exposure limit (8 hours) (mg/m<sup>3</sup>): 1920

propan-2-ol;isopropyl alcohol;isopropanol Long term exposure limit (8 hours) (ppm): 400 Long term exposure limit (8 hours) (mg/m<sup>3</sup>): 999 Short term exposure limit (15 minutes) (ppm): 500 Short term exposure limit (15 minutes) (mg/m<sup>3</sup>): 1250

The Control of Substances Hazardous to Health Regulations 2002. SI 2002/2677 The Stationery Office 2002.

EH40/2005 Workplace exposure limits (Fourth Edition 2020).

#### DNEL

ethanol; ethyl alcohol

Duration:	Route of exposure:	DNEL:
Long term – Systemic effects - General population	Dermal	206 mg/kg bw/day
Long term – Systemic effects - Workers	Dermal	343 mg/kg bw/day
Long term – Systemic effects - General population	Inhalation	114 mg/m <sup>3</sup>
Long term – Systemic effects - Workers	Inhalation	380 mg/m <sup>3</sup>
Short term – Local effects - General population	Inhalation	950 mg/m <sup>3</sup>
Short term – Local effects - Workers	Inhalation	1900 mg/m <sup>3</sup>
Long term – Systemic effects - General population	Oral	87 mg/kg bw/day

#### propan-2-ol; isopropyl alcohol; isopropanol

Duration:	Route of exposure:	DNEL:
Long term – Systemic effects - General population	Dermal	319 mg/kg bw/day
Long term – Systemic effects - Workers	Dermal	888 mg/kg bw/day
Long term – Systemic effects - General population	Inhalation	89 mg/m <sup>3</sup>
Long term – Systemic effects - Workers	Inhalation	500 mg/m <sup>3</sup>
Short term – Systemic effects - General population	Inhalation	178 mg/m <sup>3</sup>
Short term – Systemic effects - Workers	Inhalation	1000 mg/m <sup>3</sup>
Long term – Systemic effects - General population	Oral	26 mg/kg bw/day



Short term – Systemic effects - General population	Oral	51 mg/kg bw/day	
----------------------------------------------------	------	-----------------	--

#### **PNEC**

ethanol; ethyl alcohol **Route of exposure:** Duration of Exposure: PNEC: Freshwater 960 µg/L Freshwater sediment 3.6 mg/kg 2.75 mg/L Intermittent release (freshwater) Marine water 790 µg/L 2.9 mg/kg Marine water sediment 380-720 mg/kg Predators Sewage treatment plant 580 mg/L Soil 630 µg/kg

#### propan-2-ol;isopropyl alcohol;isopropanol

Route of exposure:	Duration of Exposure:	PNEC:
Freshwater		140.9 mg/L
Freshwater sediment		552 mg/kg
Intermittent release (freshwater)		140.9 mg/L
Marine water		140.9 mg/L
Marine water sediment		552 mg/kg
Predators		160 mg/kg
Sewage treatment plant		2.251 g/L
Soil		28 mg/kg

#### 8.2. Exposure controls

Compliance with the given occupational exposure limits values should be controlled on a regular basis.

General recommendations:	Smoking, drinking and consumption of food is not allowed in the work area.
Exposure scenarios:	There are no exposure scenarios implemented for this product.
Exposure limits:	Professional users are subjected to the legally set maximum concentrations for occupational exposure. See occupational hygiene limit values above.
Appropriate technical measures:	The formation of vapours must be kept at a minimum and below current limit values (see above). Installation of a local exhaust system if normal air flow in the work room is not sufficient is recommended. Ensure eyewash and emergency showers are clearly marked. Apply standard precautions during use of the product. Avoid inhalation of vapours.
Hygiene measures:	In between use of the product and at the end of the working day all exposed areas of the body must be washed thoroughly. Always wash hands, forearms and face.



*Measures to avoid environmental exposure:* 

No specific requirements.

#### Individual protection measures, such as personal protective equipment

Generally:

Use only UKCA marked protective equipment.

#### Respiratory Equipment:

Туре	Class	Colour	Standards	
Ensure there is sufficient ventilation.				

#### Skin protection:

Recommended	Type/Category	Standards	
Wear appropriate protection clothing, e.g. coveralls in polypropylene or working clothes in cotton or polyester.	-	-	Ŷ

#### Hand protection:

Material	Glove thickness (mm)	Breakthrough time (min.)	Standards	
No special when used as intended	-	-	-	

#### Eye protection:

Туре	Standards	
Safety glasses	EN166	

#### **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

### 9.1. Information on basic physical and chemical properties

Physical state:	Gel
Colour:	Colourless
Odour / Odour threshold:	Alcohol odor
рН:	7-8
Density (g/cm³):	Testing not relevant or not possible due to the nature of the product.
Kinematic viscosity:	Testing not relevant or not possible due to the nature of the product.
Particle characteristics:	Does not apply to liquids.
Phase changes	
Melting point/Freezing point (°C):	Testing not relevant or not possible due to the nature of the product.



	Softening point/range (waxes and pastes) (°C):	Does not apply to liquids.
	Boiling point (°C):	Testing not relevant or not possible due to the nature of the product.
	Vapour pressure:	Testing not relevant or not possible due to the nature of the product.
	Relative vapour density:	Testing not relevant or not possible due to the nature of the product.
	Decomposition temperature (°C):	Testing not relevant or not possible due to the nature of the product.
Data	on fire and explosion hazards	
	Flash point (°C):	Testing not relevant or not possible due to the nature of the product.
	Flammability (°C):	The material is ignitable.
	Auto-ignition temperature (°C):	Testing not relevant or not possible due to the nature of the product.
	Lower and upper explosion limit (% v/v):	Testing not relevant or not possible due to the nature of the product.
Solub	ility	
	Solubility in water:	Completely soluble
	n-octanol/water coefficient (LogKow):	Testing not relevant or not possible due to the nature of the product.
	Solubility in fat (g/L):	Testing not relevant or not possible due to the nature of the product.
9.2.	Other information	
	Oxidizing properties:	Testing not relevant or not possible due to the nature of the product.
	Other physical and chemical parameters:	No data available.

#### SECTION 10: STABILITY AND REACTIVITY

#### 10.1. Reactivity

No data available.

- **10.2.** Chemical stability The product is stable under the conditions, noted in section 7 "Handling and storage".
- **10.3.** Possibility of hazardous reactions None known.

#### **10.4.** Conditions to avoid Avoid static electricity.

Do not expose to any forms of heat (e.g. solar radiation). May lead to excess pressure.

# **10.5. Incompatible materials** Strong acids, strong bases, strong oxidizing agents, and strong reducing agents.



#### 10.6. Hazardous decomposition products

The product is not degraded when used as specified in section 1.

#### SECTION 11: TOXICOLOGICAL INFORMATION

## 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008 as retained and amended in UK law

#### **Acute toxicity**

Based on available data, the classification criteria are not met.

#### Skin corrosion/irritation

Based on available data, the classification criteria are not met.

#### Serious eye damage/irritation

Based on available data, the classification criteria are not met.

#### **Respiratory sensitisation**

Based on available data, the classification criteria are not met.

#### Skin sensitisation

Based on available data, the classification criteria are not met.

#### Germ cell mutagenicity

Based on available data, the classification criteria are not met.

#### Carcinogenicity

Based on available data, the classification criteria are not met.

#### **Reproductive toxicity**

Based on available data, the classification criteria are not met.

#### **STOT-single exposure**

Based on available data, the classification criteria are not met.

#### **STOT-repeated exposure**

Based on available data, the classification criteria are not met.

#### Aspiration hazard

Based on available data, the classification criteria are not met.

#### 11.2. Information on other hazards

#### Long term effects

Neurotoxic effects: This product contains organic solvents, which may cause adverse effects to the nervous system. Symptoms of neurotoxicity include: loss of appetite, headache, dizziness, ringing in ears, tingling sensations of skin, sensitivity to the cold, cramps, difficulty in concentrating, tiredness, etc. Repeated exposure to solvents can result in the breaking down of the skin's natural fat layer and may result in an increased absorption potential of other hazardous substances at the area of exposure.

#### Endocrine disrupting properties

This mixture/product does not contain any substances known to have hormone-disrupting properties in relation to health.

#### Other information

propan-2-ol;isopropyl alcohol;isopropanol has been classified by IARC as a group 3 carcinogen.



#### **SECTION 12: ECOLOGICAL INFORMATION**

#### 12.1. Toxicity

No data available.

#### 12.2. Persistence and degradability

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No 648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

- **12.3. Bioaccumulative potential** No data available.
- 12.4. Mobility in soil

No data available.

## **12.5. Results of PBT and vPvB assessment** This mixture/product does not contain any substances known to fulfil the criteria for PBT and vPvB classification.

#### 12.6. Endocrine disrupting properties

This mixture/product does not contain any substances considered to have endocrine-disrupting properties in relation to the environment.

12.7. Other adverse effects

None known.

#### SECTION 13: DISPOSAL CONSIDERATIONS

#### Waste treatment methods

Product is covered by the regulations on hazardous waste.

HP 3 - Flammable

Dispose of contents/container to an approved waste disposal plant.

Regulation (EU) No 1357/2014 of 18 December 2014 on waste as retained and amended in UK law.

#### EWC code

Not applicable.

#### Specific labelling

#### Contaminated packing

Packaging containing residues of the product must be disposed of similarly to the product.

#### **SECTION 14: TRANSPORT INFORMATION**

	14.1 UN / ID	14.2 UN proper shipping name		14.4 PG*	Other information:
ADR		ALCOHOL SOLUTION)	Transport hazard class: 3 Label: 3 Classification code: F1	III	 Limited quantities: 5 L Tunnel



	14.1 UN / ID	14.2 UN proper shipping name	14.3 Hazard class(es)	14.4 PG*		Other information:
						restriction code: (D/E) See below for additional information.
IMDG	-	-	-	-	-	-
IATA	-	-	-	-	-	-

#### \* Packing group

#### \*\* Environmental hazards

#### Additional information

ADR / See Table A, section 3.2.1 for any information on special provisions, requirements, or warnings in connection with transport. See section 5.4.3, for instructions in writing regarding mitigation of damages in relation to incidents or accidents during transport. This product is within scope of the regulations of transport of dangerous goods. Hazchem Code: •2Y

#### 14.6. Special precautions for user Not applicable.

#### Maritime transport in bulk according to IMO instruments 14.7. No data available.

#### **SECTION 15: REGULATORY INFORMATION**

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Restrictions for application:	No special.
Demands for specific education:	No specific requirements.
SEVESO - Categories / dangerous substances:	P5c - FLAMMABLE LIQUIDS, Qualifying quantity (lower-tier): 5.000 tonnes / (upper-tier): 50.000 tonnes
Biocidal Products Regulations:	Product type: PT1 - Human hygiene
Restrictions on use:	-
Directions for use and dose rate:	-
Additional information:	-

#### **UK-REACH**, Annex XVII

70% Thick Alcohol Hand Gel is subject to UK-REACH restrictions, UK-REACH annex XVII (entry 3). 70% Thick Alcohol Hand Gel is subject to UK-REACH restrictions, UK-REACH annex XVII (entry 40). ethanol; ethyl alcohol is subject to UK-REACH restrictions, UK-REACH annex XVII (entry 40). propan-2-ol; isopropyl alcohol; isopropanol is subject to UK-REACH restrictions, UK-REACH annex XVII (entry 40).

<i>Sources:</i> The Health and Safety at Work etc. Act 1974 Regulations 2013.	Additional information:	Not applicable.
Regulation (EC) No 648/2004 on detergents as retained	Sources:	2013.



and amended in UK law. Control of Major Accident Hazards (COMAH) Regulations 2015. In accordance with Regulation (EU) No 528/2012 concerning the making available on the market and use of biocidal products as retained and amended in UK law. Regulation (EU) No 1357/2014 of 18 December 2014 on waste as retained and amended in UK law. Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures (CLP) as retained and amended in UK law. Regulation (EC) No 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) as retained and amended in UK law.

#### 15.2. Chemical safety assessment

No

#### **SECTION 16: OTHER INFORMATION**

#### Full text of H-phrases as mentioned in section 3

H225, Highly flammable liquid and vapour.

#### The full text of identified uses as mentioned in section 1

PC 35 = Washing and Cleaning Products (including solvent based products)

#### Abbreviations and acronyms

ADN = European Provisions concerning the International Carriage of Dangerous Goods by Inland Waterway ADR = The European Agreement concerning the International Carriage of Dangerous Goods by Road ATE = Acute Toxicity Estimate BCF = Bioconcentration Factor CAS = Chemical Abstracts Service CE = Conformité Européenne (European conformity) CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No. 1272/2008] CSA = Chemical Safety Assessment CSR = Chemical Safety Report DMEL = Derived Minimal Effect Level DNEL = Derived No Effect Level EINECS = European Inventory of Existing Commercial chemical Substances ES = Exposure Scenario EUH statement = CLP-specific Hazard statement EuPCS = European Product Categorisation System EWC = European Waste Catalogue GHS = Globally Harmonized System of Classification and Labelling of Chemicals IARC = International Agency for Research on Cancer (IARC) IATA = International Air Transport Association IBC = Intermediate Bulk Container IMDG = International Maritime Dangerous Goods LogPow = logarithm of the octanol/water partition coefficient MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution)



OECD = Organisation for Economic Co-operation and Development PBT = Persistent, Bioaccumulative and Toxic PNEC = Predicted No Effect Concentration RID = The Regulations concerning the International Carriage of Dangerous Goods by Rail RRN = REACH Registration Number SCL = A specific concentration limit SVHC = Substances of Very High Concern STOT-RE = Specific Target Organ Toxicity - Repeated Exposure STOT-SE = Specific Target Organ Toxicity - Single Exposure TWA = Time weighted average UN = United Nations UVBC = Unknown or variable composition, complex reaction products or of biological materials VOC = Volatile Organic Compound vPvB = Very Persistent and Very Bioaccumulative

#### Additional information

The classification of the mixture in regard to physical hazards has been based on experimental data.

#### ▼ The safety data sheet is validated by

Anglian Chemicals

#### Other

A change (in proportion to the last essential change (first cipher in SDS version, see section 1)) is marked with a blue triangle.

The information in this safety data sheet applies only to this specific product (mentioned in section 1) and is not necessarily correct for use with other chemicals/products.

It is recommended to hand over this safety data sheet to the actual user of the product. Information in this safety data sheet cannot be used as a product specification. Country-language: GB-en